

Yukikazu MORI, S.N. 10/801,400
Page 2

RECEIVED
CENTRAL FAX CENTER
OCT 03 2007

Dkt. 2271/60883-A

Listing of Claims

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

1. (previously presented) A network facsimile device connected to the Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising:

delivery notifying partner storing means for storing a mail address of a destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

delivery confirmation mail transferring means for determining whether the delivery confirmation mail indicates successful mail delivery, and for transferring said delivery confirmation mail confirmed by said confirming means to said destination address stored in said delivery notifying partner storing means when the delivery confirmation mail indicates successful mail delivery.

2. (previously presented) A network facsimile device connected to the Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising:

delivery notifying partner storing means for storing a mail address of a destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting, at a time of receiving electronic mail, whether the received electronic mail is an electronic mail for confirming mail delivery; and

delivery confirmation mail transferring means for transferring said delivery confirmation mail confirmed by said confirming means to a mail address set in a From address field, when a mail address of a sender is set in said From address field of said delivery confirmation mail, and

Yukikazu MORI, S.N. 10/801,400
Page 3

Dkt. 2271/60883-A

for transferring said delivery confirming mail to the destination address, when the mail address of the sender individual is not set in said From address field of said electronic mail.

3. (previously presented) A network facsimile device connected to the Internet or a local area network, employing an electronic mail, function and having a function of exchanging image information through said Internet or said local area network and functions of facsimile device, comprising:

delivery notifying partner storing means for storing a mail address of a destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

delivery confirmation mail transferring means for determining whether said delivery confirmation mail includes contents relating to a transferring error and for transferring said electronic delivery confirmation mail to the destination address stored in said delivery notifying partner storing means, when the contents relating to the transferring error are not contained in the delivery confirmation mail.

4. (previously presented) A network facsimile device connected to the Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device comprising:

delivery notifying partner storing means for storing a mail address of a destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

delivery confirmation mail transferring means
for confirming whether a mail address of a sender is set in a From address field of said electronic delivery confirmation mail confirmed by said delivery confirmation mail confirming means and for confirming whether said delivery confirmation mail includes predetermined

Yukikazu MORI, S.N. 10/801,400
Page 4

Dkt. 2271/60883-A

contents relating to a transferring error, and

for transferring said electronic delivery confirmation mail to both said mail address set in said From address field of said electronic delivery confirmation mail and said destination address stored in said delivery notifying partner storing means, when said delivery confirmation mail includes predetermined contents relating to said transferring error contained in said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail,

for transferring said electronic delivery confirmation mail to said destination address stored in said delivery notifying partner storing means, when said delivery confirmation mail includes predetermined contents relating to said transferring error contained in said electronic delivery confirmation mail and when said mail address of the sender is not set in the From address field of said electronic mail,

for transferring said electronic delivery confirmation mail to said mail address set in said From address field of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error not contained in said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail, and

for transferring said electronic delivery confirmation mail to said destination address stored in said delivery notifying partner storing means, when said predetermined contents relating to said transferring error are not contained in the contents of said electronic delivery confirmation mail and when said mail address of the sender individual is not set in the From address of said electronic delivery confirmation mail.

5. (original) The network facsimile device as defined in claim 1,
wherein said network facsimile device further comprises:
setting means for making valid or invalid said electronic mail transferring operation of said delivery confirmation mail transferring means.

6. (original) The network facsimile device as defined in claim 2,
wherein said network facsimile device further comprises:
setting means for making valid or invalid said electronic mail transferring operation of

Yukikazu MORI, S.N. 10/801,400
Page 5

Dkt. 2271/60883-A

said delivery confirmation mail transferring means.

7. (original) The network facsimile device as defined in claim 3,
wherein said network facsimile device further comprises:

setting means for making valid or invalid said electronic mail transferring operation of
said delivery confirmation mail transferring means.

8. (original) The network facsimile device as defined in claim 4,
wherein said network facsimile device further comprises:

setting means for making valid or invalid said electronic mail transferring operation of
said delivery confirmation mail transferring means.

9. (currently amended) A network facsimile device connected to an Internet or a local
area network, employing an electronic mail function, and having a function of exchanging image
information through said Internet or said local area network and functions of a facsimile device,
comprising:

delivery notifying partner storing means for storing a mail address of a registered
destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting at a time of receiving
electronic mail, whether the received electronic mail is an electronic delivery confirmation mail
for confirming mail delivery; and

delivery confirmation mail processing means for confirming whether predetermined
contents of ~~said electronic delivery confirmation mail~~ relating to a transferring error are
~~contained~~ included in contents of said detected electronic delivery confirmation mail and for
transferring said electronic delivery confirmation mail to the destination address stored in said
delivery notifying partner storing means, when said predetermined contents relating to said
transferring error are ~~contained~~ included in said electronic delivery confirmation mail; and for
visibly outputting the contents of said electronic delivery confirmation mail, and

wherein said destination address is registered in said delivery notifying partner storing
means, prior to reception of said electronic delivery confirmation mail.

Yukikazu MORI, S.N. 10/801,400
Page 6

Dkt. 2271/60883-A

10. (previously presented) A network facsimile device connected to an Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising:

delivery notifying partner storing means for storing a mail address of a destination address to which a confirmation is to be delivered;

delivery confirmation mail confirming means for detecting at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

delivery confirmation mail processing means

for confirming whether an address of a sender is set in a From address field of said electronic mail detected by said delivery confirmation mail confirming means to be an electronic delivery confirmation mail for confirming the delivery, and for confirming whether predetermined contents relating to a transferring error are contained in contents of said electronic delivery confirmation mail,

for visibly outputting said contents of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are contained in said contents of said electronic mail, or

for transferring said electronic delivery confirmation mail to both of said mail address set in said From address field of said electronic delivery confirmation mail and said destination address stored in said delivery notifying partner storing means, when said predetermined contents relating to said transferring error are contained in the contents of said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail,

for transferring said electronic delivery confirmation mail to said mail address of said From address of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivering confirmation mail and when said mail address of said sender is set in said From address of said electronic delivery confirmation mail, and

for transferring said electronic delivery confirmation mail to said destination address stored in said delivery notifying partner storing means, when said predetermined contents

Yukikazu MORI, S.N. 10/801,400
Page 7

Dkt. 2271/60883-A

relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail and when said mail address of said sender is not set in said From address of said electronic delivery confirmation mail.

11. (original) The network facsimile device as defined in claim 9,
wherein said network facsimile device further comprises:

first setting means for making valid or invalid said electronic mail transferring operation of said delivery confirmation mail processing means; and second setting means for making valid or invalid visible display of said electronic mail of said delivery confirmation mail processing means.

12. (original) The network facsimile device as defined in claim 10,
wherein said network facsimile device further comprises:

first setting means for making valid or invalid said electronic mail transferring operation of said delivery confirmation mail processing means; and second setting means for making valid or invalid visible display of said electronic mail of said delivery confirmation mail processing means.

13. (previously presented) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

storing a delivery notifying destination's partner mail address;

detecting, at a time of receiving an electronic mail, whether said received electronic mail is an electronic delivery confirmation mail for confirming delivery of electronic mail;

confirming whether the electronic delivery confirmation mail indicates successful delivery; and

transferring said electronic delivering confirmation mail to said delivery notifying mail address stored in said delivery notifying partner step when said received electronic mail is an electronic delivering confirmation mail indicating the successful delivery.

Yukikazu MORI, S.N. 10/801,400
Page 8

Dkt. 2271/60883-A

14. (original) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

storing a delivery notifying destination mail address;

detecting, at a time of receiving an electronic mail, whether said received electronic mail is an electronic mail for confirming delivery of the electronic mail;

transferring said electronic delivery confirmation mail, when said received electronic mail is an electronic delivery confirmation mail for confirming the delivery, to a mail address of a From address, when an address of a sender is set in a From address field of said electronic delivery confirmation mail; and

transferring said electronic delivery confirmation mail, when said received electronic mail is an electronic delivery confirmation mail for confirming the delivery, to the stored destination address, when the mail address of the sender is not set in said From address of said electronic delivery confirmation mail.

15. (currently amended) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

~~storing a delivery notifying destination mail address;~~

detecting, at a time of receiving an electronic mail, whether said received electronic mail is an electronic delivery confirmation mail for confirming delivery of electronic mail;

registering a delivery notifying destination mail address, prior to receiving said electronic delivery confirmation mail;

confirming, when said received electronic mail is an electronic delivery confirmation mail, whether predetermined contents relating to a transferring error are ~~contained~~ included in said electronic delivery confirmation mail; and

transferring said electronic delivery confirmation mail to said stored destination mail address, when said predetermined contents relating to said transferring error are ~~contained~~ included in said contents of said electronic delivery confirmation mail.

Yukikazu MORI, S.N. 10/801,400
Page 9

Dkt. 2271/60883-A

16. (original) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

storing a delivery notifying destination mail address;

detecting, at a time of receiving an electronic mail, whether said mail is an electronic delivery confirmation mail for confirming delivery of the electronic mail;

confirming, when said received electronic mail is the electronic delivery confirmation mail, whether a mail address of a sender is set in a From address field of said electronic delivery confirmation mail;

confirming whether predetermined contents relating to a transferring error are contained in contents of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to both said mail address set in said From address field of said electronic delivery confirmation mail and said stored destination mail address, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail, and when the mail address of the sender is set in said From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said stored destination mail address, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail, and when the mail address of the sender individual is not set in said From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said mail address set in said From address field of said electronic mail, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail, and when the mail address of the sender is set in From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said stored destination mail address, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail, and when the mail address of the sender is set in said From address field of said electronic delivery confirmation mail.

Yukikazu MORI, S.N. 10/801,400
Page 10

Dkt. 2271/60883-A

17. (previously presented) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

storing a delivery notifying destination mail address;

detecting, at a time of receiving an electronic mail, whether said received electronic mail is an electronic delivery confirmation mail for confirming delivery of the electronic mail;

confirming, when said received electronic mail is the electronic delivery confirmation mail for confirming the delivery, whether a mail address of a sender is set in a From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said stored destination mail address, when mail address of the sender is not set in the From address field of said electronic delivery confirmation mail; and

visually outputting the contents of said electronic delivery confirmation mail.

18. (original) A method of controlling a network facsimile device connected to the Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

storing a delivery notifying destination mail address;

detecting at a time of receiving an electronic mail, whether said received electronic mail is an electronic delivery confirmation mail for confirming delivery of electronic mail;

confirming whether a mail address of a sender is set in a the From address field of said electronic delivery confirmation mail, when said received electronic mail is an electronic mail for confirming the delivery;

confirming whether predetermined contents relating to a transferring error are contained in contents of said electronic delivery confirmation mail;

visually outputting the contents of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail;

Yukikazu MORI, S.N. 10/801,400
Page 11

Dkt. 2271/60883-A

transferring said electronic delivery confirmation mail to both said mail address set in said From address field of said electronic mail and said stored destination mail address, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail, and when said mail address of said sender is set in said From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said stored destination mail address, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are contained in said contents of said electronic delivery confirmation mail, and when said mail address of said sender individual is not set in said From address field of said electronic delivery confirmation mail;

transferring said electronic delivery confirmation mail to said mail address of said From address field of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail, and when said mail address of said sender individual is set in said From address of said electronic mail; and

transferring said electronic delivery confirmation mail to said stored destination mail address, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail, and when said mail address of said sender is not set in said From address of said electronic delivery confirmation mail.

19. (currently amended) A method of controlling a network facsimile device connected to an Internet or a local area network, employing a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, comprising the steps of:

~~storing a delivery notifying destination mail address;~~

detecting, at the time of receiving an electronic mail, whether said received electronic mail is an electronic mail for confirming delivery;

registering a delivery notifying destination mail address, prior to receiving said electronic mail;

confirming whether predetermined contents relating to [[the]] a transferring error are

Yukikazu MORI, S.N. 10/801,400
Page 12

Dkt. 2271/60883-A

~~contained~~ included in contents of said electronic mail, when said received electronic mail is an electronic mail for confirming the delivery; and

transferring said received electronic mail to said stored destination mail address and visually outputting the contents of said received electronic ~~delivery confirmation~~ mail, when said predetermined contents relating to said transferring error are ~~contained~~ included in said contents of said received electronic ~~delivery confirmation~~ mail.

Claim 20 (canceled).

21. (previously presented) A programmed network facsimile device connected to the Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, said programmed network facsimile device executing control code embodied in a computer readable medium, said control code comprising:

code for storing a mail address of a destination address to which a confirmation is to be delivered;

code for detecting, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

code for confirming whether the electronic delivery confirmation mail indicates successful mail delivery, and for transferring said delivery confirmation mail confirmed by said confirming means to said destination address stored in said delivery notifying partner storing means when the electronic delivery confirmation mail indicates successful delivery.

22. (previously presented) A programmed network facsimile device connected to the Internet or a local area network, employing an electronic mail function, and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, said programmed network facsimile device executing control code embodied in a computer readable medium, said control code comprising:

code for storing a mail address of a destination address to which a confirmation is to be delivered;

code for detecting, at a time of receiving electronic mail, whether the received electronic

Yukikazu MORI, S.N. 10/801,400
Page 13

Dkt. 2271/60883-A

mail is an electronic mail for confirming mail delivery; and

code for transferring said delivery confirmation mail confirmed by said confirming means to a mail address set in a From address field, when a mail address of a sender is set in said From address field of said delivery confirmation mail, and for transferring said delivery confirming mail to the destination address, when the mail address of the sender individual is not set in said From address field of said electronic mail.

23. (previously presented) A programmed network facsimile device connected to the Internet or a local area network, employing an electronic mail, function and having a function of exchanging image information through said Internet or said local area network and functions of a facsimile device, said programmed network facsimile device executing control code embodied in a computer readable medium, said control code comprising:

code for storing a mail address of a destination address to which a confirmation is to be delivered;

code for detecting, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

code for determining whether said delivery confirmation mail includes contents relating to a transferring error and for transferring said electronic delivery confirmation mail to the destination address stored in said delivery notifying partner storing means, when the contents relating to the transferring error are not contained in the delivery confirmation mail.

24. (previously presented) A network facsimile device connected to a network, comprising:

mailer means for transmitting and/or receiving electronic mail through the network, the electronic mail being accompanied by a facsimile image representation,

memory means for storing a destination address to which a mail delivery notification is to be sent,

mail detecting means for determining, upon reception of the received mail, whether a received mail is a delivery notification,

mail transferring means for determining whether the delivery notification indicates successful delivery, and for transferring the received mail to the destination address, when the

Yukikazu MORI, S.N. 10/801,400
Page 14

Dkt. 2271/60883-A

received mail is determined to be a delivery notification confirming successful delivery.

25. (original) The network facsimile device as defined in claim 24, further comprising:
setting means for making valid or invalid said mail transferring operation of said mail transferring means.

26. (previously presented) A network facsimile device connected to a network, comprising:

mailer means for transmitting and/or receiving electronic mail through the network, the electronic mail being accompanied by a facsimile image representation,

memory means for storing a destination address to which a mail delivery notification is to be sent;

determining means for determining whether a received delivery notification contains a sender address in a From address field; and

mail transferring means for transferring the received delivery notification according to the determination result of the determining means.

27. (previously presented) A network facsimile device according to claim 26, wherein the mail transferring means transfers the received delivery notification to the sender address when the delivery notification contains the sender address in the From address field.

28. (previously presented) A network facsimile device according to claim 26, wherein the mail transferring means transfers the received delivery notification to the destination address when the delivery notification does not contain the sender address in the From address field.

29. (previously presented) A network facsimile device according to claim 26, further comprising:

setting means for making valid or invalid said electronic mail transferring operation of said mail transferring means.

30. (currently amended) A network facsimile device connected to a network,

Yukikazu MORI, S.N. 10/801,400
Page 15

Dkt. 2271/60883-A

comprising:

mailer means for transmitting and/or receiving electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

memory means for storing a registered destination address to which a mail delivery notification is to be sent;

mail detecting means for determining whether a received mail is a delivery notification, upon reception of the received mail;

determining means for determining whether a received delivery notification ~~contains~~ includes error information which indicates an error occurrence in a; and

mail transferring means for transferring the received delivery notification to the registered destination address, according to the determination result of the determining means,

wherein said destination address is registered in said memory means prior to reception of said received delivery notification.

31. (previously presented) A network facsimile device according to claim 30, wherein the mail transferring means transfers the received delivery notification to the destination address when the delivery notification contains error information.

32. (previously presented) A network facsimile device according to claim 30, further comprising:

setting means for making valid or invalid said electronic mail transferring operation of said mail transferring means.

33. (previously presented) A network facsimile device connected to a network, comprising:

mailer means for transmitting and/or receiving electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

memory means for storing a destination address to which a mail delivery notification is to be sent;

mail detecting means for determining whether a received mail is a delivery notification, upon reception of the received mail;

Yukikazu MORI, S.N. 10/801,400
Page 16

Dkt. 2271/60883-A

first determining means for determining whether a received delivery notification contains a sender address in the From address field;

second determining means for determining whether the received delivery notification contains error information which indicates an error occurrence; and

mail transferring means for transferring the received delivery notification according to the determination result of the first and second determining means.

34. (previously presented) A network facsimile device according to claim 33, wherein the mail transferring means transfers the received delivery notification to the destination address when the delivery notification contains the sender address in the From address field and contains the error occasion information.

35. (previously presented) A network facsimile device according to claim 33, further comprising:

setting means for making valid or invalid the transferring operation of said mail transferring means.

36. (currently amended) A network facsimile device connected to a network, comprising:

mailer means for transmitting and/or receiving electronic mail through the network, the electronic mail being accompanied by a facsimile image representation,

memory means for storing a registered destination address to which a mail delivery notification is to be sent;

mail detecting means for determining whether a received mail is a delivery notification, upon reception of the received mail;

determining means for determining whether a received delivery notification contains error information which indicates an error occurrence; and

outputting means for transferring said received delivery notification to said registered destination address and visibly outputting the contents of a delivery notification when the determining means determines that the received delivery notification contains error information, wherein said destination address is registered in said memory means prior to reception of

Yukikazu MORI, S.N. 10/801,400
Page 17

Dkt. 2271/60883-A

said received delivery notification.

37. (previously presented) A network facsimile device according to claim 36, further comprising:

mail transferring means for transferring the received delivery notification to a sender address.

38. (previously presented) A network facsimile device according to claim 37, further comprising:

setting means for making valid or invalid the transferring operation of said mail transferring means.

39. (previously presented) A network facsimile device according to claim 36, further comprising:

setting means for making valid or invalid the visible display of said delivery notification by said outputting means.

40. (previously presented) A network facsimile apparatus comprising:

a storage device configured to store a mail address of a destination address to which a confirmation is to be delivered;

a delivery confirmation detection part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic mail for confirming mail delivery; and

a processing part configured to transfer the electronic delivery confirmation mail confirmed by said delivery confirmation detection part to a mail address set in a From address field, when a mail address of a sender is set in said From address field of said delivery confirmation mail, and transfer said delivery confirming mail to the destination address, when the mail address of the sender individual is not set in said From address field of said electronic mail.

41. (previously presented) The network facsimile apparatus as defined in claim 40.

Yukikazu MORI, S.N. 10/801,400
Page 18

Dkt. 2271/60883-A

further comprising:

a setting part configured to make valid or invalid said electronic mail transferring operation of said delivery confirmation transfer part.

42. (previously presented) A network facsimile apparatus comprising:

a storage device configured to store a mail address of a destination address to which a confirmation is to be delivered;

a delivery confirmation detection part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

a processing part configured to

confirm whether a mail address of a sender is set in a From address field of the electronic delivery confirmation mail confirmed by said delivery confirmation detection part and confirm whether said delivery confirmation mail includes predetermined contents relating to a transferring error, and

transfer said electronic delivery confirmation mail to both said mail address set in said From address field of said electronic delivery confirmation mail and said destination address stored in said storage device, when said delivery confirmation mail includes predetermined contents relating to said transferring error contained in said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail,

transfer said electronic delivery confirmation mail to said destination address stored in said storage device, when said delivery confirmation mail includes predetermined contents relating to said transferring error contained in said electronic delivery confirmation mail and when said mail address of the sender is not set in the From address field of said electronic mail,

transfer said electronic delivery confirmation mail to said mail address set in said From address field of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error not contained in said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail, and

transfer said electronic delivery confirmation mail to said destination address stored

Yukikazu MORI, S.N. 10/801,400
Page 19

Dkt. 2271/60883-A

in said storage device, when said predetermined contents relating to said transferring error are not contained in the contents of said electronic delivery confirmation mail and when said mail address of the sender individual is not set in the From address of said electronic delivery confirmation mail.

43. (previously presented) The network facsimile apparatus as defined in claim 42, further comprises:

a setting part configured to make valid or invalid said electronic mail transferring operation of said delivery confirmation transfer part.

44. (previously presented) A network facsimile apparatus comprising:

a storage device configured to store a mail address of a destination address to which a confirmation is to be delivered;

a delivery confirmation detection part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

a processing part configured to

confirming whether an address of a sender is set in a From address field of said electronic mail detected by said delivery confirmation detection part to be an electronic delivery confirmation mail for confirming the delivery, and for confirming whether predetermined contents relating to a transferring error are contained in contents of said electronic delivery confirmation mail,

visibly output said contents of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are contained in said contents of said electronic mail, or

transfer said electronic delivery confirmation mail to both of said mail address set in said From address field of said electronic delivery confirmation mail and said destination address stored in said storage device, when said predetermined contents relating to said transferring error are contained in the contents of said electronic delivery confirmation mail and when said mail address of the sender is set in the From address field of said electronic delivery confirmation mail.

Yukikazu MORI, S.N. 10/801,400
Page 20

Dkt. 2271/60883-A

transfer said electronic delivery confirmation mail to said mail address of said From address of said electronic delivery confirmation mail, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivering confirmation mail and when said mail address of said sender is set in said From address of said electronic delivery confirmation mail, and

transfer said electronic delivery confirmation mail to said destination address stored in said storage device, when said predetermined contents relating to said transferring error are not contained in said contents of said electronic delivery confirmation mail and when said mail address of said sender is not set in said From address of said electronic delivery confirmation mail.

45. (previously presented) The network facsimile apparatus as defined in claim 44, further comprises:

a first setting part configured to make valid or invalid said electronic mail transferring operation of said processing part; and

a second setting part configured to make valid or invalid visible display of said electronic mail of said processing part.

46. (previously presented) A network facsimile apparatus comprising:

a mailer part configured to transmit and/or receive electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

a storage device configured to store a destination address to which a mail delivery notification is to be sent; and

a processing part configured to determine whether a received delivery notification contains a sender address in a From address field, and transfer the received delivery notification according to the determination result.

47. (previously presented) The network facsimile apparatus as defined in claim 46, wherein the processing part transfers the received delivery notification to the sender address when the delivery notification contains the sender address in the From address field.

Yukikazu MORI, S.N. 10/801,400
Page 21

Dkt. 2271/60883-A

48. (previously presented) The network facsimile apparatus as defined in claim 46, wherein the processing part transfers the received delivery notification to the destination address when the delivery notification does not contain the sender address in the From address field.

49. (previously presented) The network facsimile apparatus as defined in claim 46, further comprising:

a setting part configured to make valid or invalid said electronic mail transferring operation of said processing part.

50. (previously presented) A network facsimile apparatus comprising:

a mailer part configured to transmit and/or receive electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

a storage device configured to store a destination address to which a mail delivery notification is to be sent;

a detecting part configured to determine whether a received mail is a delivery notification, upon reception of the received mail;

a processing part configured to determine whether a received delivery notification contains a sender address in the From address field, determine whether the received delivery notification contains error information which indicates an error occurrence, and transfer the received delivery notification according to the determination results.

51. (previously presented) The network facsimile apparatus as defined in claim 50, wherein the processing part transfers the received delivery notification to the destination address when the delivery notification contains the sender address in the From address field and contains the error occasion information.

52. (previously presented) The network facsimile apparatus as defined in claim 50, further comprising:

a setting part configured to make valid or invalid the transferring operation of said processing part.

Yukikazu MORI, S.N. 10/801,400
Page 22

Dkt. 2271/60883-A

53. (previously presented) A network facsimile apparatus comprising:

a mailer part configured to transmit and/or receive electronic mail through the network, the electronic mail being accompanied by a facsimile image representation,

a storage device configured to store a destination address to which a mail delivery notification is to be sent,

a detecting part configured to determine, upon reception of the received mail, whether a received mail is a delivery notification;

a processing part configured to determine whether the delivery notification indicates successful delivery, and transfer the received mail to the destination address, when the delivery notification indicates successful delivery.

54. (currently amended) A network facsimile apparatus comprising:

a mailer part configured to transmit and/or receive electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

a storage device configured to store a registered destination address to which a mail delivery notification is to be sent;

a detecting part configured to determine whether a received mail is a delivery notification, upon reception of the received mail;

a processing part configured to determine whether a received delivery notification contains error information which indicates an error occurrence, and transfer the received delivery notification to the registered destination address, according to the determination result,

wherein said destination address is registered in said storage device prior to reception of said received delivery notification.

55. (currently amended) A network facsimile apparatus comprising:

a mailer part configured to transmit and/or receive electronic mail through the network, the electronic mail being accompanied by a facsimile image representation;

a storage device configured to store a registered destination address to which a mail delivery notification is to be sent;

a detecting part configured to determine whether a received mail is a delivery notification, upon reception of the received mail;

Yukikazu MORI, S.N. 10/801,400
Page 23

Dkt. 2271/60883-A

a processing part configured to determine whether a received delivery notification contains error information which indicates an error occurrence, and transfer the received delivery notification to the registered destination address and visibly output the contents of [[a]] the received delivery notification when said processing part determines that the received delivery notification contains error information,

wherein said destination address is registered in said storage device prior to reception of said received delivery notification.

56. (previously presented) A network facsimile apparatus comprising:

a storage device configured to store a mail address of a destination address to which a confirmation is to be delivered;

a detecting part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

a processing part configured to determine whether the electronic delivery confirmation mail indicates successful delivery, and transfer said delivery confirmation mail confirmed by said detecting part to said destination address stored in said storage device when the electronic delivery confirmation indicates successful delivery.

57. (currently amended) A network facsimile apparatus comprising:

a storage device configured to store a mail address of a registered destination address to which a confirmation is to be delivered;

a detecting part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery; and

a processing part configured to determine whether said delivery confirmation mail includes contents relating to a transferring error, and transfer said electronic delivery confirmation mail to the destination address stored in said storage device,

wherein said destination address is registered in said storage device prior to reception of said electronic delivery confirmation mail.

Yukikazu MORI, S.N. 10/801,400
Page 24

Dkt. 2271/60883-A

58. (currently amended) A network facsimile apparatus comprising:
a storage device configured to store a mail address of a registered destination address to which a confirmation is to be delivered;
a detecting part configured to detect, at a time of receiving electronic mail, whether the received electronic mail is an electronic delivery confirmation mail for confirming mail delivery;
and
a processing part configured to confirm whether predetermined contents of said electronic delivery confirmation mail relating to a transferring error are contained in contents of said detected electronic delivery confirmation mail and transfer said electronic delivery confirmation mail to the registered destination address stored in said storage device, when said predetermined contents relating to said transferring error are contained in said electronic delivery confirmation mail; and for visibly outputting the contents of said electronic delivery confirmation mail,
wherein said destination address is registered in said storage device prior to reception of said electronic delivery confirmation mail.